CORRECTED PERMIT

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

HERETOFORE APPROPRIATED
Date of filing in State Engineer's Office MAY 23 1996
Returned to applicant for correction
Corrected application filed
Map filed

The applicant Douglas County , hereby makes application for permission to change the Point of Diversion and Place of Use of a portion of water heretofore appropriated under Permit 54402

1. The source of water is Underground
2. The amount of water to be changed 0.28 CFS, 28.28 AFA
3. The water to be used for Quasi-Municipal
4. The water heretofore permitted for Quasi-Municipal (no change)
5. The water is to be diverted at the following point Within the SW% SW%, Section 18, T.12N., R.21E., M.D.B.&M., at a point from which the SW corner of said Section 18 bears S.36°41'20"W., a distance of 124.70 feet.
6. The existing permitted point of diversion is located within the NW% of the SE% of Section 10 T.12N., R.19E., M.D.M. at a point from which the S% corner of said Section 10 bears S00°31'46"W, 1,733.4 feet distant (SEE MAP FILED UNDER PERMIT 54402)
7. Proposed place of use NW% of the SW% of Section 18, T.12N., R.21E., M.D.B.&M.
8. Existing place of use portions of SW% and the E% of Section 10, T.12N., R.19E., M.D.M., Douglas County, Nevada APN 19-110-59 (119.5 Acres) (SEE MAP FILED UNDER PERMIT 54402)
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Drilled and cased well to 380 feet, equipped with a pump, motor, totalizing meter, and distribution system.
12. Estimated cost of works \$408,000.00
13. Estimated time required to construct works Well Completed under Permit 56294
14. Estimated time required to complete the application of water to beneficial use 10 years
15 Remarks: For proposed point of diversion, please refer to map filed in support of Permit 56294. This application changes water which Tomerlin sold to the following persons: Pinon Hills Ranch, Inc. 12.12 AF, Tony Avanzino 2.02 AF, Tony Avanzino/Debbie Jacobsen 2.02 AF, ABC&J Investment Co. 6.06 AF, The Clark Family Trust 6.06 AF
By s/Dave Simpson
Douglas County Community Development
P. O. Box 218 Minden, Nevada 89423

Compared jr/cms dl/cms

Protested _

CORRECTED PERMIT

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 54402 is issued subject to the terms and conditions imposed in said Permit 54402 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress

and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 62167 is issued as a dedication for fourteen (14) The numbers of the subsequent Douglas County Assessor parcels. Parcels that were created including the parcel exempt from dedication are 21-290-80, 21-290-81, 21-290-82, 21-290-83, 27-030-19, 27-030-20, 27-030-21, 27-030-22, 27-070-39, 27-070-40, 27-070-41, 27-070-42, 29-560-01, 29-560-02, 29-560-03 and 29-560-04. This dedication includes water for splitting 29-560-04 into four (4) parcels at a future date.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.28 cubic feet per second, but not to exceed 28.28 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 19, 1999

Proof of completion of work shall be filed before: June 19, 1999

Application of water to beneficial use shall be filed on or before: May 19, 2008

Proof of the application of water to beneficial use shall be filed on or before: <u>June 19, 2008</u>

Map in support of proof of beneficial use shall be filed on or before:

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office,

this 30th day of March, A.D. 1999

Engineer JUN 1 0 1999

Completion of work filed

Proof of beneficial use filed Cultural map filed

Certificate No. _____ Issued _

AFF. OF WITHDRAWAL 0.16

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

HERETOFORE A	PROPRIATED	• •
Date of filing in State Engineer's Office	MAY 23 1996	4
Returned to applicant for correction		
Corrected application filed		The state of the s
Map filed	6-1 <mark>2-91 under 56294</mark>	
*****	****	aget
The applicant Douglas County , he change the Point of Diversion and P heretofore appropriated under Permit 54	lace of Use of a	n for permission to portion of water
*****	***	*
1. The source of water is Underground		, 1
2. The amount of water to be changed 0.28	3 CFS, 28.28 AFA	
3. The water to be used for Quasi-Munic		·
4. The water heretofore permitted for Qua	si-Municipal (no	change)
5. The water is to be diverted at the for Section 18, T.12N., R.21E, M.D.B. corner of said Section 18 hears S.3 feet.	&M., at a point fr 36°41'20"W., a dis	om which the SW tance of 124.70
6. The existing permitted point of diversi SE% of Section 10 T.12N., R.19E., S% corner of said Section 10 b distant (SEE MAP FILED UNDER PERM	M.D.M. at a point ears S00°31'46"W,	from which the
7. Proposed place of use NW% of the SWM.D.B.&M.	of Section 18,	r.12N., R.21E.,
8. Existing place of use portions of T.12N., R.19E., M.D.M., Douglas Coraces) (SEE MAP FILED UNDER PERMI	unty, Nevada APN 1	of Section 10, 9-110-59 (119.5
9. Use will be from January 1 to Decer	mber 31 of each year	
10. Use was permitted from January 1 to	December 31 of ea	ch year.
11. Description of proposed works Drill equipped with a pump, motor, tot system.	ed and cased wel alizing meter, ar	l to 380 feet, d distribution
12. Estimated cost of works \$408,000.00	. \	•
13. Estimated time required to construct to 56294	works Well Complete	ed under Permit
14. Estimated time required to complete th 10 years	e application of water	to beneficial use
15. Remarks: For proposed point of filed in support of Permit 56294. which Tomerlin sold to the follow Inc. 12.12 AF, Tony Avanzino 2.02	This application ing persons: <u>Pind</u> AF, Tony Avanzino/	n changes water on Hills Ranch,

By s/Dave Simpson
Douglas County Community Development
P. O. Box 218
Minden, Nevada 89423

Compared jr/cms jr/cms	5.4
	·
Protested	

AF

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do ereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 54402 is issued subject to the terms and conditions imposed in said Permit 54402 and with the understanding that n a other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress

and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and

local agencies.

Permit 62167 is issued as a dedication for fourteen (14) parcels. The numbers of the subsequent Douglas County Assessor Parcels that were created including the parcel exempt from dedication are 21-290-80, 21-290-81, 21-290-82, 21-290-83, 23-480-76, 23-480-77, 23-480-79, 23-480-80, 23-480-81, 23-480-82, 23-480-83, 27-030-19, 27-030-20, 23-030-21, 27-030-22, 27-070-39, 27-070-40, 27-070-41, and 27-070-42

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.28 cubic feet per second, but not to exceed 28.28 acre-feet annually.

Work must be prosecuted with reasonable $\mathrm{d} N$ igence and be completed on or before:

May 19, 1999

Proof of completion of work shall be filed before:

June 19, 1999

Application of water to beneficial use shall be faled on or before: May 19, 2008

Proof of the application of water to beneficial use shall be filed on or before: June 19, 2008

Map in support of proof of beneficial use shall be filed\on or before:

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my offic

this 19th day of May, A.D. 1998

State Engineer ey · Completion of work filed Proof of beneficial use filed Cultural map filed Certificate No. ____ Issued _